100

Main Memory 120

Synchronization 121

Characteristic Computation 122

Data Storage Device 130

Processor 110

I/O Controller 135

140

Display 150

Keyboard 160

Cursor Control 170

Network Controller 180

Figure 1

200

Receive data
210

Synchronize data 220

Generate bilateral
cyclogram
230

Measure characteristics
of cyclogram 240

Compare
chararacteristics of
cyclogram based on
actual gait with cyclogram
based on perfectly
symmetrical gait 250

Figure 2

| Time (seconds)	Left Knee (degrees)	Right Knee (degrees)
0	40.487	12.31
0.0167	32.837	12.101
0.0333	25.791	12.288
0.05	19.811	13.285
0.0667	15.156	13.93
0.0833	12.546	15.288
0.1	11.87	16.73
0.1167	12.628	18.95
0.1333	14.496	21.445
0.15	17.234	25.199
0.1667	19.871	29.939
0.1833	23.218	35.602
0.2	26.277	41.844
0.2167	28.937	48.608
0.2333	30.813	55.085
0.25	31.313	60.789
0.2667	30.925	65.489
0.2833	29.678	69.101
0.3	28.191	71.574
0.3167	26.359	72.791
0.3333	24.401	73.12
0.35	22.228	72.323
0.3667	20.526	70.646
0.3833	18.333	68.254
0.4	16.855	64.841
0.4167	15.459	60.875
0.4333	14.049	56.194
0.45	12.782	51.019
0.4667	11.898	44.928

Figure 3a

Figure 3b

Figure 3c

Figure 3d

Figure 3e

Figure 4a

Figure 4b

Figure 4c

Figure 4d

Figure 4e

Figure 4f

Figure 4g

Figure 4h

Figure 4i

Figure 4j

Figure 4k

Figure 41

Figure 5a

Figure 5b

Figure 5c